

## TECHNICAL DATASHEET

### 20435 // WELDER

|                |                     |
|----------------|---------------------|
| MATERIAL       | Split leather, grey |
| COATING        | -                   |
| SIZE(S)        | 10, 11              |
| PACKAGING UNIT | 60 pairs            |
| CERTIFICATION  | EN 388, EN 12477    |




### DESCRIPTION

NITRAS WELDER, five-finger welding gloves, split leather, split leather cuff, length 35 cm


|                        | Material      | Colour |
|------------------------|---------------|--------|
| Palm                   | Split leather | grey   |
| Index finger and thumb | Split leather | grey   |
| Back of the hand       | Split leather | grey   |
| Fingertips             | Split leather | grey   |
| Cuff / knitted wrist   | Split leather | grey   |

| EN 420:2003 + A1:2009 |  | Test parameter | Performance level | Test result |
|-----------------------|--|----------------|-------------------|-------------|
|                       |  | Dexterity      | 1-5               | 5           |

| EN 388:2016   |  | Test parameter                    | Performance level | Test result |
|---|--|-----------------------------------|-------------------|-------------|
| <br><b>3143X</b> |  | Abrasion resistance               | 1-4               | 3           |
|   |  | Blade cut resistance (Coupe-Test) | 1-5               | 1           |
|   |  | Tear resistance                   | 1-4               | 4           |
|   |  | Puncture resistance               | 1-4               | 3           |
|   |  | Blade cut resistance (TDM-Test)   | A-F               | X           |

| EN 12477:2001+A1:2005  |  | Test parameter                                 | Performance level | Test result |
|--|--|--|-------------------|-------------|
| <br><b>413X4X A</b> |  | Resistance to flammability                     | 1-4               | 4           |
|  |  | Contact heat resistance                        | 1-4               | 1           |
|  |  | Convective heat resistance                     | 1-4               | 3           |
|  |  | Radiant heat resistance                        | 1-4               | X           |
|  |  | Resistance to small splashes of molten metal   | 1-4               | 4           |
|  |  | Resistance to large quantities of molten metal | 1-4               | X           |