

## TECHNICAL DATASHEET

### 6230T

MATERIAL	Nylon carbon fabric, grey
COATING	PU, white
SIZE(S)	5-11
PACKAGING UNIT	240 pairs
CERTIFICATION	EN 388, EN 16350




### DESCRIPTION

NITRAS antistatic gloves, grey, PU coating, partly coated on fingertips, white, knitted wrist, integrated carbon fibre, antistatic (dissipative), touchscreen capable

	Material	Colour
Palm	PU on nylon carbon fabric	White
Index finger and thumb	PU on nylon carbon fabric	White
Back of the hand	Nylon carbon fabric	Grey
Fingertips	PU on nylon carbon fabric	White
Cuff / knitted wrist	Nylon carbon fabric	Grey

Size:	5	6	7	8	9	10	11
Hem colour:	purple	red	yellow	brown	black	light blue	white

EN 420:2003 + A1:2009		Test parameter	Performance level	Test result
		Dexterity	1-5	5
EN 388:2016		Test parameter	Performance level	Test result
 <b>1141X</b>	Abrasion resistance		1-4	1
	Blade cut resistance (Coupe-Test)		1-5	1
	Tear resistance		1-4	4
	Puncture resistance		1-4	1
	Blade cut resistance (TDM)		A-F	X
EN 16350:2014		Test parameter	Performance level	Test result
		Palm (resistance [Q])	-	2,46 x 10 <sup>5</sup> (dissipative)
		Back of the hand (resistance [Q])	-	4,84 x 10 <sup>4</sup> (dissipative)